

# OCIO Template Wireframe Documentation

## Page Elements

Common Widgets			Wrapper Divs	
Key	Element	Tabindex Ranges	Key	Item
A	Skip, 1 <sup>st</sup> Set	1-7/9	AA	body tag
B	NavGlobalUSPTO	10-16/29	BB	BodyInnerLeft
C	Skip, 2 <sup>nd</sup> Set	30-35/47	CC	BodyInnerRight
#	Anchor – aTopOfPage	48	DD	WrapperOuter
#	Anchor – aNavUtilities	49	EE	Wrapper
D	NavUtilities	50-69	FF	WrapperHeader
E	SiteName	70-89	GG	WrapperNavGlobalSite
F	FormQuickLinksSelect	100	HH	WrapperContent
G	Skip, 3 <sup>rd</sup> Set	200-208	II	WrapperContentHeader
#	Anchor – aNavGlobalSite	498	JJ	WrapperSidebarLeft
	IconHome	499	KK	WrapperSidebarRight
H	NavGlobalSiteMenu	500-11098	LL	WrapperContentMain
#	Anchor – aSidebarRight	11099	MM	WrapperFooter
I	Skip, 4 <sup>th</sup> Set	11100-11109		
J	NavSection	11110-11499		
K	RelatedLinks	11500-11509		
L	ContentUpdate/Comments	11510-11799		
M	WSRContentUpdate	11800-11809		
N	Skip, 5 <sup>th</sup> Set	11810-21999		
O	FormSearchSite	22000-22199		
P	Skip, 6 <sup>th</sup> Set			
Q1-3	NavBreadCrumbs	inherit		
R	pageTitle (w/ parentTitle)	22200-22209		
Q-R	Desk (Home Page Only)	22210-23299		
S	Skip, 7 <sup>th</sup> Set	inherit		
T1-?	WrapperSidebarLeft	233800-23699		
U1-?	WrapperContentMain regions	23700-?		
V	FooterCISDBranding	Normal Flow		
W	FooterNavGlobalSite	Normal Flow		
X	FooterNavGlobalUSPTO	Normal Flow		
Y	FooterDisclaimer	Normal Flow		
Z	FooterLastModified	Normal Flow		

Access Keys	
Key	Item
A	Accessibility statement
C	Content
H	Home page
M	Site map
N	Sectional navigation
S	Search site
W	Website support
1,2,3,...	Global site navigation

\* Skip Navs/Content

### General Notes

- Template nomenclature: As Dreamweaver tends to label by class and then ID, the template wireframes are declared in the same manner within the parentheses – (.className#IDName).
- WrapperNavGlobalSite division contains both the IconHome image and the NavGlobalSiteMenu division.
- The tabindex ranges set for the NavGlobalSite and NavSection divisions are large to minimize the renumbering of navigation items if they change.
- An accesskey assignment in the global site navigation scheme is limited to the *first level only*. Drop-downs, pop-up, and fly-out menus down not received accesskey assignments. All such assignments are numbered, not lettered. The first one is assigned in the MasterStartingPoint files.
- The first tabindex in the NavGlobalSite and NavSection divisions are also assigned.
- The SiteName division, which only shows when printed, contains the SiteLogo image within the SiteTitle paragraph.
- The third skip set (G) relates to the content of WrapperNavGlobalSite, but exists within WrapperHeader because of display issues in Internet Explorer.


### Template Notes

- OCIO ORG2 Wireframe: The tabs are defined via template variables.
- OCIO ODC Wireframe: The tabs denoted as **U2.1.1.1** and **U2.1.1.2** would actually number 26, one for each letter of the alphabet.
- OCIO ORR Wireframe: The tableWrapper div hold the two ORR tables. It also provides the padding necessary to push the first table down the page way from the line separator as the major browser do not deal with table top margins in the same manner.
- Primary Sectional Class Designators: Generally the name or an abbreviation of the name of the Primary Section Name, e.g. Desk (for CIO's Desk), Admin, InvestPlan, Dev, Ops, BizCust. Only OCIO Org does not have a class designator as it has its own template type.

### Actions

- **Declare HOME:** Assign the accesskey and tabindex notations to either a 'Home' icon or link.
- **Set the Navigation Tabindex Sub-ranges for the Sub-menus:** Set the sub-ranges for NavGlobalSite and NavSection menuing systems, based on the allowed min-max ranges established above. The goal is to minimize large scale renumbering after site launch. Then proceed to the second step – assignment.
- **Accesskey and Tabindices Assignment:** The following two steps should be done concurrently:
  - **Assign Accesskeys:** Assign the accesskeys to all *first level* navigation items in the NavGlobalSite division using *numbers*.
  - **Assign tabindices:** Assign the tabindices for each navigation link in the NavGlobalSite and NavSection divisions, including all sub-menus.

# OCIO Template Generation Chart




**Key**

Italicized text indicate templates that will not be used, but are necessary.

<span style="background-color: #ADD8E6; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> Gen 0	<span style="background-color: #800080; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> Gen 3
<span style="background-color: #FFFF00; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> Gen 1	<span style="background-color: #FF8C00; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> Gen 4
<span style="background-color: #90EE90; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> Gen 2	

# OCIO Master Template Wireframe (.master#Col1)



**Wrapper Key:**

- Wrapper
- WrapperHeader
- WrapperNavGlobalSite
- WrapperContent
- WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table

**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, all callouts in LL are aligned left. Callouts in right column exist in M only.*

OCIO General Content Template (Mode 1) Wireframe [Preferred] (.generalContentM1#Col2)



**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


	Fixed
	Generated
	Hidden

**Editable? Optional?**

	Optional		Rep Region
	Editable		Rep Table
	Optional Editable		Library Item

**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, all callouts in LL are aligned left. Callouts in right column exist in M only.*

# OCIO General Content Template (Mode 2) Wireframe (.generalContentM2#Col1)



**Wrapper Key:**

- Wrapper
- WrapperHeader
- WrapperNavGlobalSite
- WrapperContent
- WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table




**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, all callouts in LL are aligned right. Callouts in left column exist in T2 only.*

# OCIO General Content (Mode 3) Template Wireframe (.generalContentM3#Col1)









**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


-  Fixed
-  Generated
-  Hidden

**Editable? Optional?**

-  Optional
-  Editable
-  Optional Editable
-  Library Item
-  Rep Region
-  Rep Table

**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, callouts in LL may be aligned left or right.*

# OCIO Primary Section Landing Template Wireframe (.primarySection#Col1)



**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table




**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, all callouts in LL are aligned right. Callouts in left column exist in T2 only.*

# OCIO Secondary Section Landing Template Wireframe (.secondarySection#Col1)









**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


-  Fixed
-  Generated
-  Hidden

**Editable? Optional?**

-  Optional
-  Editable
-  Optional Editable
-  Library Item
-  Rep Region
-  Rep Table




**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, all callouts in LL are aligned left. Callouts in right column exist in M only.*

# OCIO Home Page Template Wireframe (.home#Col1)









**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


-  Fixed
-  Generated
-  Hidden

**Editable? Optional?**

-  Optional
-  Editable
-  Optional Editable
-  Library Item
-  Rep Region
-  Rep Table

**Note on Callouts**  
 The styling on actual callouts are assigned via classes. In this layout, all callouts in LL-U3 are aligned right. Callouts in left column are not allowed.

# OCIO FAQ Complex Template Wireframe (.faqComplex#Col2)



**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table




**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, callouts in LL are not allowed, except in U1.1. Callouts in right column exist in M only.*

# OCIO FAQ Simple Template Wireframe (.faqSimple#Col2)









**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


-  Fixed
-  Generated
-  Hidden

**Editable? Optional?**

-  Optional
-  Editable
-  Optional Editable
-  Library Item
-  Rep Region
-  Rep Table

**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, callouts in LL are not allowed, except in U1.1. Callouts in right column exist in M only.*

# OCIO Main Org Landing Template Wireframe (.orgMain#Col1)



**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table

**Note on Callouts**  
 The styling on actual callouts are assigned via classes. In this layout, callouts in LL are aligned right and exist in U3 only. Callouts in left column exist in T2 only.

### OCIO Subsidiary Org Template Wireframe (.orgSub#Col2)



**Wrapper Key:**

- Wrapper
- WrapperHeader
- WrapperNavGlobalSite
- WrapperContent
- WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table

**Note on Callouts**  
 As this page is a generated page, no callouts are possible or allowed.

# OCIO Document Collection Template Wireframe (.ocioDocs#Col1)



**Wrapper Key:**

- Wrapper
- WrapperHeader
- WrapperNavGlobalSite
- WrapperContent
- WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table

**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, callouts in LL may be aligned left or right.*

### OCIO OSP Template Wireframe (.ospDocs#Col2)



**Wrapper Key:**

- Wrapper
- WrapperHeader
- WrapperNavGlobalSite
- WrapperContent
- WrapperFooter

**Fixed? Generated?**


- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table




**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, callouts in LL are aligned left. Allowed in U2 and U4. Callouts in KK exist in M only.*

### OCIO SDLC Template Wireframe (.sdlcDocs#Col2)









**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**


-  Fixed
-  Generated
-  Hidden

**Editable? Optional?**

-  Optional
-  Editable
-  Optional Editable
-  Library Item
-  Rep Region
-  Rep Table

**Note on Callouts**  
*The styling on actual callouts are assigned via classes. In this layout, callouts in LL are aligned left. Allowed in U2 and U4. Callouts in KK exist in M only.*

### OCIO ORR Template Wireframe (.orrDocs#Col2)



**Wrapper Key:**  
 Wrapper  
 WrapperHeader  
 WrapperNavGlobalSite  
 WrapperContent  
 WrapperFooter

**Fixed? Generated?**

- Fixed
- Generated
- Hidden

**Editable? Optional?**

- Optional
- Editable
- Optional Editable
- Library Item
- Rep Region
- Rep Table

**Note on Callouts**  
 The styling on actual callouts are assigned via classes. In this layout, all callouts in LL are aligned left. Callouts in right column exist in M only.